


ISRAEL JOURNAL OF ENTOMOLOGY

VOLUME XII 1978



THE ENTOMOLOGICAL SOCIETY
OF ISRAEL

The front page presents an illustration of a nest of the Carpenter bee, *Xylocopa pubescens* (Spinola), as seen in an x-ray radiogram, depicting all its developmental stages (Drawn by W. Ferguson).

ISRAEL JOURNAL OF ENTOMOLOGY

Published by the Entomological Society of Israel, P.O. Box 6, Bet Dagan, 50 200, Israel.

EDITORS

Y. Ben-Dov	Agricultural Research Organization, The Volcani Center, Bet Dagan
H. Bytinski-Salz	Department of Zoology, Tel Aviv University, Tel Aviv
U. Gerson	Department of Entomology, Faculty of Agriculture, Rehovot
A. S. Perry	Institute for Nature Conservation Research, Tel Aviv University, Tel Aviv
A. S. Tahori	Kimron Veterinary Institute, Bet Dagan

NOTES FOR AUTHORS

Israel Journal of Entomology will publish original contributions in all aspects of Entomology. Authors are entirely responsible for statements, whether of fact or opinion.

MANUSCRIPTS

Manuscripts, in English only, are considered on the understanding that their contents should not be published elsewhere. If a preliminary announcement relating to the contents of the paper has already been published, this must be stated.

Papers should be concisely written. The "Style Manual for Biological Journals" contains much useful guidance. Manuscripts must be typed in double spacing, on one side of a page of uniform size. The title of the paper should be informative, but preferably not exceed twenty words. An abstract provided at the beginning of the paper, will indicate the main aspects of the subject but not summarize the results or conclusions. Words which are to be italicized in print, Latinized genus- and species-group names, should be underlined with a single, solid line. More than three categories of subheadings, as well as footnotes to text should be avoided wherever possible.

SPELLING

Spelling and terminology should be consistent throughout. Scientific names should be underlined and followed by the name of the first describer, written out in full except for Linnaeus (L.) and Fabricius (F.). Names of localities in Israel will be given as they are transliterated in the latest issue of "List of settlements, localities and antiquity sites, Survey of Israel, Ministry of Labour".

TABLES

Tables should be kept to a minimum and, unless very short, must be typed on separate sheets; their approximate position being indicated in the manuscript. The same data should not be given both in tables and graphs.

REFERENCES

1. In the text, reference to the literature should conform to the "name-and-date" system, *e.g.* – Williams (1929); (Bodenheimer 1938); Jones and Smith (1950).
2. When reference is made to taxonomic descriptions, or to quoted passages – the relevant page-number(s) may follow the year, *e.g.* Brown (1939:25).
3. When three or more authors are responsible for a single article, reference is to be made only to the first, followed by "*et al.*" and the date: Thomson *et al.* (1945) or (Thomson *et al.* 1945).
4. Unpublished references are to be cited as Cohen (personal communication), Cohen (unpublished), Cohen (in preparation) or Cohen (in Press) as applicable. Only the latter category will appear in the list of references, together with the title of the periodical to which it was submitted for publication.
5. The list of references will be given at the end of the article, according to the following forms, with the titles of all periodicals unabbreviated.

Bergman, E.D. 1976. The future of insecticides – a problem of human environment. *Israel Journal of Entomology* 11:5–14.

Wigglesworth, V.B. 1972. The Principles of Insect Physiology. 7th edition. Chapman and Hall, London.

Taylor, L.R. and J.M.P. Palmer. Aerial sampling. *In*: Aphid Technology. Edit. H.F. van Emden. Academic Press, London.

TAXONOMY

1. Authors must comply with the requirements of the International Code of Zoological Nomenclature and with the published Opinions of the International Commission.
2. The following abbreviations should be adopted in the text: *n. gen.* – new genus; *n. sp.* – new species; *n. nom.* – new name, used once to introduce a name replacing a junior homonym; *n. comb.* – new combination of names; *n. syn.* – denotes synonymy established for the first time; *n. stat.* – will be used to indicate a new change in rank of a name; *nomen nudum*, *nomen dubium* are not abbreviated.
3. In treating the taxonomy of a described taxon, the following form is recommended for the beginning of a chapter.

Filippia oleae (Costa, 1832) (Fig. 1)

Coccus oleae Costa, 1832:21; Green, 1863:42.

Lecanium oleae (Costa); Smith, 1892:15; Brown, 1899:20.

Filippia oleae (Costa); Fernald, 1903:13; Hall, 1943:50;

4. New taxa must be distinguished from related taxa.
5. In describing new species, the complete data of the type-series, together with the collection (s) in which it is deposited will be recorded in the original description as follows:

MATERIAL EXAMINED. Holotype ♀, Israel, Jerusalem, *Ficus carica*, 14.V.1956, G. Levi (BMNH). Paratypes, 2 ♀♀, same data as holotype, (USNM); 8 ♀♀, Tel Aviv, *Acacia* sp., G. Brown (ZTV).

6. Records of described species will be listed at the end of each relevant chapter in the following form:

MATERIAL EXAMINED. Sinai, Dahab, *Phoenix* sp., 13.V.1958, D. Cohen; Israel, Haifa, *Pistacia vera*, 20.II.1967, M. Levi.

REPRINTS

Senior authors are entitled to 30 copies of their paper free of charge. Additional reprints may be ordered at the time the proof is returned.

CORRESPONDENCE

Manuscripts submitted for publication should be addressed to: Editor, Israel Journal of Entomology, P.O. Box 6, Bet Dagan, Israel.

SUBSCRIPTIONS

Members of the Entomological Society of Israel IL. 100. Non-members \$ 10.00 + postage. Correspondence for subscription address to: Secretary, Entomological Society of Israel, P.O. Box 6, Bet Dagan, Israel.

TABLE OF CONTENTS

	<u>Page</u>
ESPAÑOL, F. - A new species of <i>Clada</i> (Coleoptera: Anobiidae) from Israel	1
HALPERIN, J. and F. ESPAÑOL. - The Anobiidae (Coleoptera) of Israel and Near East	5
BELINSKY, A. and J. KUGLER. - Observations on the biology and host preference of <i>Caryedon serratus palaestinus</i> (Coleoptera: Bruchidae) in Israel .	19
SCHEDL, K.E. - The bark and timber beetles of Israel - II. 328. Contribution to the morphology and taxonomy of the Scolytidae	35
FURTH, D.G. - A fossil flea beetle (Coleoptera: Chrysomelidae) from Lake Huleh, Israel.	41
LINDNER, E. and A. FREIDBERG. - New records of Stratiomyidae (Diptera) from the Near East with a key to the species of Israel, Sinai and the Golan . .	51
KUGLER, J. - The Rhizophoridae (Diptera) of Israel . . .	65
BEN-MORDECHAI, Y., COHEN, R., GERLING, D. AND E. MOSCOVITZ. - The biology of <i>Xylocopa pubescens</i> (Spinola) (Hymenoptera: Anthophoridae) in Israel.	107
AMITAI, S. and E. SWIRSKI. - A new genus and new records of phytoseiid mites (Mesostigmata: Phytoseiidae) from Israel	123
OBITUARY	145
List of new taxa described in Israel Journal of Entomology Vol. XII	149
List of members of the Entomological Society of Israel .	151

The papers published in this journal are selectively abstracted and indexed in the *Review of Applied Entomology*, compiled by the Commonwealth Institute of Entomology, London and published by the Commonwealth Agricultural Bureaux.

INSECTICIDES

ABATE

TEMIK

FOLIMAT

TAMARON

LEBAYCID

MEVINPHOS

PLANT GROWTH REGULATORS

C.C.C.

ETHREL

HERBICIDES

ALANEX

AMITROLE

ATRANEX

COTTONEX

DIUREX

NEBUREX

PROMETREX

SIMANEX

TRIBUNIL

TRIFLUREX

URAGAN (Bromacil)

FUNGICIDES

ALLISAN

CALIRUS

RONILAN

MANEBGAN

MORESTAN



AGAN

Chemical Manufacturers Ltd.

ASHDOD (INDUSTRIAL CENTRE)

P.O.Box 262 77100

Tel. (055) - 21321

MANUFACTURES & EXPORTERS

of

Citrus & Deciduous Fruit Sprays

Against Black Scale, Red Scale, Parlatoria Scale etc.

Agricultural Insecticides

Malathion, Parathion, Lindane, Toxaphene,
Heptachlor, Dimethoate etc.

Protein Insecticide Bait

Against Mediterranean Fruit Fly and Olive Fruit Fly.



"TARSIS"

AGRICULTURAL & INDUSTRIAL CHEMICALS CO. LTD.

Offices:

Plant & Main Office : Kiriat Arie, Petah Tikva, Tel. 913785-6

P.O.B. 183 Tel-Aviv

Haifa : 59 Haatzmauth St. Tel. 521534

ANYWHERE IN THE WORLD...

Design: J. Landau

Keep crops weed-free with our internationally field-proven herbicides:

ALANEX (alachlor)
AMETREX (ametryne)
ATRANEX (atrazine)
ATRAMET COMBI (atrazine + ametryne)
AZOLAN (aminotriazole)
BENEFEX (benfluralin, benefin)
BUTANEX (butachlor)
COTTONEX (fluometuron)
DIUREX (DI-ON) (diuron)
DIUROL (diuron + aminotriazole)
LINUREX (linuron)
MONUREX (monuron)
NEBUREX (neburon)
PATTONEX (metobromuron)
PROLEX (propachlor)
PROMETREX (prometryne)
PROZINEX (propazine)
SIMANEX (simazine)
SIMAZOL (simazine + aminotriazole)
TERBUTREX (terbutryne)
TOLUREX (chlortoluron)
TRIFLUREX (trifluralin)
URAGAN (bromacil)

Keep crops disease-free with our internationally field-proven fungicides and acaricides:

BENZILAN (chlorobenzilate)
MITIGAN (ACARIN) (dicofol)
FOLPAN (folpet)
MERPAN (captan)

Keep crops insect-free with our internationally field-proven insecticides:

BROMEX (naled)
COTNION-ETHYL (azinphos-ethyl)
COTNION-METHYL (azinphos-methyl)
COTNION-ETHYL — METHYL (azinphos-ethyl-methyl)
DANEX (trichlorfon)
DIAZOL (diazinon)
DIVIPAN (dichlorvos)
MONOCRON (monocrotophos)
RAVYON (carbaryl)
THIONEX (endosulfan)

Makhteshim-Agan
crop protection
chemicals
help increase
the world's
food production
capacity

Koor Chemicals
Crop Protection Division
Export Offices
P.O.B. 60 Beer-Sheva
Israel
Telex: 5276
Cables: Mchem IL

MAKHTESHIM-AGAN



CTS

FORMULATORS AND DISTRIBUTORS
OF AGRICULTURAL CHEMICALS

REPRESENTING:

- | | |
|--------------|-------------|
| * CIBA-GEIGY | * MURPHY |
| * SCHERING | * KENOGARD |
| * FISON | * CELA-MERK |

AT YOUR SERVICE WITH THE BEST OF:

- | | |
|--------------|---------------------|
| * ACARICIDES | * INSECTICIDES |
| * FUNGICIDES | * NEMATOCIDES |
| * HERBICIDES | * GROWTH-REGULATORS |



CHEMICALS & TECHNICAL SUPPLIES LTD.

Head Office:

100, Jabotinsky Road, Petach-Tikva

Phones: 03-924416 03-921756

Postal Address: P.O.B. 10, Tel-Aviv

תכשירינו להדברת מזיקים

בכורתנה

לאונו 36

להדברת יעילה נוחה
של פרודות, הליוטים,
ציקדות, כנימות עש הטבק
וכנימות עלה.

נובקרין 60

להדברת זיפית,
וחל ורוד, כנימות
עש הטבק, ציקדות
וכנימות עלה.

קודקרון 50

להדברת פרודות,
כנימות עש הטבק
והליוטים.

ייעוץ והדרכה:



אחים מילצ'ין בע"מ • המחלקה התקלאית

תל-אביב, רח' קרליבך 29, טלפון 4-285282

