


ISRAEL JOURNAL OF ENTOMOLOGY

VOLUME XIV – 1980



THE ENTOMOLOGICAL SOCIETY OF ISRAEL

ISRAEL JOURNAL OF ENTOMOLOGY

Published by the Entomological Society of Israel,
P.O.Box 6, Bet Dagan, 50 200, Israel

EDITORS

- | | |
|------------------|--|
| Y. Ben-Dov | Agricultural Research Organization,
The Volcani Center, Bet Dagan |
| H. Bytinski-Salz | Department of Zoology,
Tel Aviv University, Tel Aviv |
| A.S. Perry | Institute for Nature Conservation Research,
Tel Aviv University, Tel Aviv |
| H. Podoler | Department of Entomology,
Faculty of Agriculture, Rehovot |

COVER: *Altica bicarinata* (Kutschera), the Raspberry Flea Beetle, is the most common species of *Altica* in Israel. An article on *Altica* species of Israel is included in this volume. (Drawing by Walter Ferguson, Department of Zoology, Tel Aviv University).

Publication date: February 15, 1981

Typesetting by: The Israel Economist, Jerusalem.

TABLE OF CONTENTS

AMITAI, S. and E. SWIRSKI. — Two new species of phytoseiid mites (Mesostigmata: Phytoseiidae) from Israel	1
GERSON, URI and MAGDALENA K.P., SMITH-MEYER. — A new species of <i>Capedulia</i> (Acari: Tenuipalpidae) from a marine habitat in Israel	9
SAINI, MALKIAT S. and SURJIT S., DHILLON. — Disappearance of the median dorsal bridge of IXth abdominal tergum in female Hymenoptera	13
KLEIN, M., NAVON, A. and S. KEREN. — Comparative toxicity of five insecticides to <i>Earias insulana</i> (Boisduval) adults (Lepidoptera: Noctuidae) in Israel	21
YATHOM, S. — An outbreak of <i>Dolycoris baccarum</i> L. (Heteroptera: Pentatomidae) on sunflower in Israel	25
HÖLZEL, H. — Notes on ant-lions (Neuroptera: Myrmeleonidae) of Israel and adjacent countries, with descriptions of new species	29
HALPERIN, J. and R. DAMOISEAU. — The Bostrycid beetles (Coleoptera) of Israel	47
FURTH, D.G. — <i>Altica</i> of Israel (Coleoptera: Chrysomelidae: Alticinae)	55
KUGLER, J. — A new name to replace <i>Ramona</i> Kugler, 1980 (Diptera: Tachinidae)	67

PROCEEDINGS OF THE WORKSHOP "ADVANCES IN THE SYSTEMATICS OF THE COCCOIDEA" 69-104

BEN-DOV, Y. — On the abdominal segmentation in the adult female of armoured scale insects of the Odonaspidini and Antakaspidini	71
GERSON, URI. — Wax filaments on Coccoid eggs	81
HOWELL, J.O. — The value of second-stage males in armoured scale insect phylogenetics	87
MACGREGOR-LOAEZA, R. and G. SAMPEDRO. — The natural groups of the genera of the mealybugs (Homoptera: Coccoidea: Pseudococcidae)	97
TAKAGI, S. — An interpretation of 2nd instar male characters in the systematics of the Diaspididae	99

The papers published in this journal are abstracted and indexed in the REVIEW OF APPLIED ENTOMOLOGY and in ENTOMOLOGY ABSTRACTS.

The Entomological Society of Israel gratefully acknowledges the generous financial support of the

PESTICIDES RESEARCH & DEVELOPMENT FUND, TEL AVIV

and is also grateful for the donations from

FRUIT BOARD OF ISRAEL (PRODUCING & MARKETING), TEL AVIV

CITRUS MARKETING BOARD OF ISRAEL, TEL AVIV

DEAD SEA BROMINE COMPANY LTD, BEER-SHEVA

NEOPHARM LTD., TEL AVIV

AGAN, CHEMICAL MANUFACTURERS, ASHDOD

TARSIS, AGRICULTURAL & INDUSTRIAL CHEMICAL CO. LTD., TEL AVIV

MAKHTESHIM-AGAN, LTD., BEER SHEVA

A NEW NAME TO REPLACE *RAMONA* KUGLER, 1980
(DIPTERA: TACHINIDAE)

JEHOSHUA KUGLER

*Department of Zoology, The George S. Wise Faculty for Life Sciences,
Tel Aviv University, Tel Aviv, Israel*

The genus *Ramona* Kugler, 1980 was recently described (*Israel Journal of Entomology* 13, p. 40, March 1980) with *Ramona mesnili* Kugler, 1980 as type-species. According to Neave (*Nomenclator Zoologicus* Vol. IV, p. 9, 1940) the above generic name is preoccupied by *Ramona* Casey, 1886 (*Bull. Calif. Acad. Sci.*, 2, no. 6, 213) in Coleoptera, and by *Ramona* Bruner, 1905 (*Biol. Centr. Amer., Zool., Orthopt.*, 2, 118, 186 (1906) in Orthoptera. Therefore I propose *Ramonella nomen novum* (type-species: *Ramona mesnili* Kugler, 1980) to replace it.

THE NATURAL GROUPS OF THE GENERA OF THE MEALYBUGS
(HOMOPTERA: COCCOIDEA: PSEUDOCOCCIDAE)*

R. MACGREGOR-LOAEZA and G. SAMPEDRO
Instituto de Biología, UNAM, Ciudad Universitaria, Mexico 20, D.F. Mexico

ABSTRACT**

Some ideas about the formation of natural groups among the genera of mealybugs are discussed, taking into account the works of Ezzat and McConnell (1956), who established the tribe Planococcini, that of Borchsenius (1958) who mentioned the tribe Antonini, and the book "Mealybugs of California" by MacKenzie (1967) which presented several groupings of genera but without any particular nomination. This project is under development analyzing by computer about 35 characters of 125 genera, and it is programmed to work with resemblance indexes (Pearson's correlation) that will show affinities and differences among all the genera included in this study.

*Presented at the Workshop "Advances in the systematics of the Coccoidea", of the XVI International Congress of Entomology, Kyoto, Japan, on August 5, 1980.

**Full text not submitted.

LIST OF NEW TAXA
DESCRIBED IN *ISRAEL JOURNAL OF ENTOMOLOGY* VOL. XIV

ACARI

Phytoseiidae	
<i>Eharius hermonensis</i> Amitai and Swirski	1
<i>Nabiseius rivnaya</i> Amitai and Swirski	5
Tenuipalpidae	
<i>Capedula maritima</i> Gerson and Meyer-Smith	9

NEUROPTERA

Myrmeleonidae	
<i>Acanthaclisis formosa</i> Hölzel	30
<i>Iranoleon octavus</i> Hölzel	31
<i>Cueta clara</i> Hölzel	33
<i>Cueta maculata</i> Hölzel	34
<i>Solter simoni</i> Hölzel	37
<i>Solter propheticus</i> Hölzel	38
<i>Solter katharinae</i> Hölzel	39
<i>Solter freidbergi</i> Hölzel	40
<i>Solter dubiosus</i> Hölzel	41
<i>Myrmeleon (Morter) pseudofasciatus</i> Hölzel	43
<i>Megistopus mirabilis</i> Hölzel	45

DIPTERA

Tachinidae	
<i>Ramonella</i> Kugler	67

THE ENTOMOLOGICAL SOCIETY OF ISRAEL

P.O.Box 6, Bet Dagan 50200

LIST OF MEMBERS

(Supplement to the list in Vol. XII, 1978)

- DAHAN, Richard. Gilat Regional Experiment Station, Agricultural Research Organization, Gilat. Pest management in greenhouses. Host plant/insect relationships.
- FREIDBERG, Amnon. Department of Zoology, Tel Aviv University, Tel Aviv. Biology and taxonomy of Diptera.
- GOL'BERG, Alla. Gilat Regional Experiment Station, Agricultural Research Organization, Gilat. Biological Control of insects. Insect pathology. Biology and ecology of parasites and predators of insect pests.
- GRÜNBERG, Abraham. 54, Y. Ben-Nun str., Herzliyya-Pituah. Agricultural Entomology; Palaeo-entomology.
- KLEIN, Zvi, I. Department of Plant Protection, Ministry of Agriculture, Tel Aviv. Cotton pests; insect ecology.
- KOTER, Eliezer. 7 Morad Hanahal str., Hofit 40295.
- LINDER, Joseph. Moza Illit, D.N. Hare Yehuda. Honey-bee behaviour and genetics; modernization of bee-keeping equipment.
- MADAR, Zion. Keren Kayemet Leisrael, Forestry Department, Qiryat Hayyim. Forestry Entomology and phytopathology.
- MENDEL, Zvi. Agricultural Research Organization, Laboratory of Entomology, Ilanot. Forest Entomology; Bark beetles biological control.
- REPHAELOVITZ, Zeev. Moshav Talme Yafe, 79520. Agricultural Entomology.
- SHPAN-GABRIELITH, Rachel S. 21 Maneh str., Tel Aviv. General Zoology, Entomology and Botany.
- SIMON, Dany. Department of Zoology, Tel Aviv University, Tel Aviv. Neuroptera. Psammophilus insects-termoregulation.
- TAMARY, Rami. Kibutz Hamadya, Emeq Bet Shean. Cotton pests' control.
- THIER, Uri. Kefar Gibton, Rehovot 76910. Social insects.
- VERNOFF, Suellen. Department of Entomology, Faculty of Agriculture, Rehovot. Forest entomology. Insect-host plant relationships.

- Bergman, E.D. 1976. The future of insecticides — a problem of human environment. *Israel Journal of Entomology* 11:5–14.
- Wigglesworth, V.B. 1972. *The Principles of Insect Physiology*. 7th edition. Chapman and Hall, London.
- Taylor, L.R. and J.M.P. Palmer. Aerial sampling. *In: Aphid Technology*. Edit. H.F. van Emden. Academic Press, London.

TAXONOMY

1. Authors must comply with the requirements of the International Code of Zoological Nomenclature and with the published Opinions of the International Commission.
2. The following abbreviations should be adopted in the text: *n.gen.*— new genus; *n.sp.*— new species; *n.nom.*— new name, used once to introduce a name replacing a junior homonym; *n.comb.*— new combination of names; *n.syn.*— denotes synonymy established for the first time; *n.stat.*— will be used to indicate a new change in rank of a name; *nomen nudum*, *nomen dubium* are not abbreviated.
3. In treating the taxonomy of a described taxon, the following form is recommended for the beginning of a chapter.

Filippia olea (Costa, 1832) (Fig. 1)

Coccus oleae Costa, 1832:21, Green, 1863:42.

Lecanium oleae (Costa); Smith, 1892:15; Brown, 1899:20.

Filippia oleae (Costa); Fernald, 1903:13; Hall, 1943:50;

4. New taxa must be distinguished from related taxa.
5. In describing new species, the complete data of the type-series, together with the collection(s) in which it is deposited will be recorded in the original description as follows:

MATERIAL EXAMINED. Holotype ♀, Israel, Jerusalem, *Ficus carica*, 14.V.1956, G. Levi (BMNH). Paratypes, 2 ♀♀, same data as holotype, (USNM); 8 ♀♀, Tel Aviv, *Acacia* sp., G. Brown (ZTV).

6. Records of described species will be listed at the end of each relevant chapter in the following form:

MATERIAL EXAMINED: Sinai, Dahab, *Phoenix* sp., 13.V.1958, D. Cohen; Israel, Haifa, *Pistacia vera*, 20.II.1967, M. Levi.

REPRINTS

Senior authors are entitled to 30 copies of their paper free of charge. Additional reprints may be ordered at the time the proof is returned.

CORRESPONDENCE

Manuscripts submitted for publication should be addressed to: Editor, Israel Journal of Entomology, P.O. Box 6, Bet Dagan, Israel.

SUBSCRIPTIONS

Correspondence for subscription address to: Secretary, Entomological Society of Israel, P.O.Box 6, Bet Dagan, Israel.

NOTES FOR AUTHORS

Israel Journal of Entomology will publish original contributions in all aspects of Entomology. Authors are entirely responsible for statements, whether of fact or opinion.

MANUSCRIPTS

Manuscripts, in English only, are considered on the understanding that their contents should not be published elsewhere. If a preliminary announcement relating to the contents of the paper has already been published, this must be stated.

Papers should be concisely written. The "Style Manual for Biological Journals" contains much useful guidance. Manuscripts must be typed in double spacing, on one side of a page of uniform size. The title of the paper should be informative, but preferably not exceed twenty words. An abstract provided at the beginning of the paper, will indicate the main aspects of the subject but not summarize the results or conclusions. Words which are to be italicized in print, Latinized genus — and species-group names, should be underlined with a single, solid line. More than three categories of subheadings, as well as footnotes to text should be avoided wherever possible.

SPELLING

Spelling and terminology should be consistent throughout. Scientific names should be underlined and followed by the name of the first describer, written out in full except for Linnaeus (L.) and Fabricius (F.). Names of localities in Israel will be given as they are transliterated in the latest issue of "List of settlements, localities and antiquity sites, Survey of Israel, Ministry of Labour".

TABLES

Tables should be kept to a minimum and, unless very short, must be typed on separate sheets; their approximate position being indicated in the manuscript. The same data should not be given both in tables and graphs.

REFERENCES

1. In the text, reference to the literature should conform to the "name-and-date" system, e.g. — Williams (1929); (Bodenheimer 1938); Jones and Smith (1950).
2. When reference is made to taxonomic descriptions, or to quoted passages — the relevant page-number(s) may follow the year, e.g. Brown (1939:25).
3. When three or more authors are responsible for a single article, reference is to be made only to the first, followed by "*et al.*" and the date: Thomson *et al.* (1945) or (Thomson *et al.* 1945).
4. Unpublished references are to be cited as Cohen (personal communication), Cohen (unpublished), Cohen (in preparation) or Cohen (in Press) as applicable. Only the latter category will appear in the list of references, together with the title of the periodical to which it was submitted for publication.
5. The list of references will be given at the end of the article, according to the following forms, *with the titles of all periodicals unabbreviated.*

