


**ISRAEL JOURNAL
OF ENTOMOLOGY**

VOLUME XVI 1982



THE ENTOMOLOGICAL SOCIETY OF ISRAEL

ISRAEL JOURNAL OF ENTOMOLOGY

Published by the Entomological Society of Israel,
P.O.Box 6, Bet Dagan 50200, Israel

EDITOR IN CHIEF

A. Freidberg Department of Zoology,
Tel Aviv University, Tel Aviv 69978.

EDITORIAL BOARD

H. Bytinski-Salz Department of Zoology,
Tel Aviv University, Tel Aviv 69978.

A.S. Perry Institute for Nature Conservation Research,
Tel Aviv University, Tel Aviv 69978.

H. Podoler Department of Entomology,
Faculty of Agriculture, Rehovot.

COVER: *Calameuta idiolon* (Rossi) is a common sawfly species, often collected on flowers and herbs. An article on the sawflies (Symphyta) of Israel is included in this volume (Drawing by Walter Ferguson, Department of Zoology, Tel Aviv University).

Publication date: 30th December, 1982

TABLE OF CONTENTS

SMITH, D.R. – List of the Symphyta (Hymenoptera) of Israel, with descriptions of four new species	1
HALPERIN, J., HODKINSON, I.D., RUSSELL, L.M. and M.J. BERLINGER. – A contribution to the knowledge of the Psyllids of Israel (Homoptera: Psylloidea)	27
HEISS, E. and J. HALPERIN. – On the occurrence of <i>Aradus cinnamomeus</i> panzer in Israel and some other East-Mediterranean countries (Heteroptera, Aradidae)	45
LÖBL, I. – On the scaphidiidae (Coleoptera) of Israel	47
BOUČEK, Z. – Description of a new <i>Hockeria</i> (Hymenoptera: Chalcididae), a parasite of a lepidopterous gall-causer on <i>Tamarix</i>	49
KREMER, M., BRAVERMAN, Y. and J.C. DELECOLLE. – <i>Addendum</i>	53
SWIRSKI, E. and S. AMITAI. – Notes on predacious mites (Acarina: Phytoseiidae) from Turkey, with description of the male of <i>Phytoseius echinus</i> Wainstein and Arutunian	55
AMITAI, S. and E. SWIRSKI. – A new species of <i>Amblyseius berlese</i> (Acarina: Phytoseiidae) from Sinai	63
GERSON, U. and S. CAPUA. – Allometric variation in <i>Rhizoglyphus robini</i> Claparède (Acari: Astigmata: Acaridae)	69
WOOL, D., – Family selection for DDT resistance in flour beetles (<i>Tribolium</i> : Tenebrionidae) as a model for group selection of fitness traits	73
HEFETZ, A. and T. ORION. – Pheromones of ants of Israel: I. The alarm-defense system of some larger formicinae	87
KLEIN, M., LEVSKI, S. and S. KEREN. – Comparative toxicity of several pyrethroids, parathion and chlorpyrifos to adults of the spiny bollworm, <i>Earias insulana</i> (Boisduval) (Lepidoptera: Noctuidae), in laboratory assays	99

The papers published in this journal are abstracted and indexed in the REVIEW OF APPLIED ENTOMOLOGY and in ENTOMOLOGY ABSTRACTS.

LIST OF NEW TAXA
DESCRIBED IN *ISRAEL JOURNAL OF ENTOMOLOGY* VOL. XVI

ACARI

Phytoseiidae

Amblyseius sinaiticum Amital and Swirski 63

HYMENOPTERA

Tenthredinidae

Profenusa lutea Smith 19

Periclista freidbergi Smith 21

Periclista hermonensis Smith 22

Tenthredopsis kaplanorum Smith 23

4

5

6

7

8

9

10

NOTES FOR AUTHORS

Israel Journal of Entomology will publish original contributions in all aspects of Entomology. Authors are entirely responsible for statements, whether of fact or opinion.

MANUSCRIPTS

Manuscripts, in English only are considered on the understanding that their contents would not be published elsewhere. If a preliminary announcement relating to the contents of the paper has already been published, this must be stated.

Papers should be concisely written. The "Style Manual for Biological Journals" contains much useful guidance. Manuscripts in triplicate must be typed on a regular type writer, doubled spaced, on one side of a page of white quarto paper. The title of the paper should be informative, but preferably not exceed twenty words. An abstract provided at the beginning of the paper, will indicate the main aspects of the subject, to be followed by 5-7 key words. Words which are to be italicized in print, Latinized genus — and species-group names, should be underlined with a single, solid line. No more than three categories of subheadings are allowed; footnotes to text should be kept to a minimum.

SPELLING

Spelling and terminology should be consistent throughout. Scientific names should be underlined and followed by the name of the first describer, written out in full. Names of localities in Israel will be given as they are transliterated in the latest issue of "List of settlements, localities and antiquity sites, Survey of Israel, Ministry of Labour". Regions in Israel and nearby areas should follow the "fauna Palaestina" map (as in Theodor, O. 1975. Fauna Palaestina, Insecta I: Diptera Pupipara. The Israel Academy of Sciences and Humanities, Jerusalem).

TABLES

Tables should be kept to a minimum and must be typed on separate sheets; their approximate position being indicated in the manuscript. The same data should not be given both in tables and graphs.

REFERENCES

1. In the text, reference to the literature should conform to the "name-and-date" system, e.g. — Williams (1929); (Bodenheimer, 1938); Jones and Smith (1950). Unpublished references are to be cited as author followed by either (personal communication), (unpublished) or (in press). Only the latter category will appear in the list of references, together with the title of the periodical to which it was submitted for publication.
2. When reference is made to taxonomic descriptions, or to quoted passages — the relevant page-number(s) should follow the year, e.g. Brown (1939:25).
3. Where three or more authors are concerned, reference is made only to the first, followed by "et al." and the date: Thomson *et al.* (1945).
4. The list of references will be given at the end of the article, according to the following forms, with the titles of all periodicals unabbreviated.
Bergman, E.D. 1976. The future of insecticides — a problem of human environment. *Israel Journal of Entomology* 11:5-14.
Taylor, L.R. and J.M.P. Palmer. 1970. Aerial sampling. In: Aphid Technology. Edit. H.F. van Emden. Academic Press, London.
Wigglesworth, V.B. 1972. The Principles of Insect Physiology. 7th edition. Chapman and Hall, London.

ILLUSTRATIONS

Only high quality photographs and drawings will be accepted. Each figure and photograph should be identified on the back, in pencil, with the author's name and figure number. Photographs should be submitted on glossy paper, not smaller than 6x9 cm. Drawings should be prepared as to allow a maximum of 30-50% reduction.

TAXONOMY

1. Comprehensive treatments of taxa (genera, families, etc.) will receive higher priority over partial treatments. Partial lists of species or faunistic lists, not accompanied by proper keys or references to such keys will receive lower priority.
2. Authors must comply with the requirements of the International Code of Zoological Nomenclature and with the published Opinions of the International Commission.
3. The following abbreviations should be adopted in the text: *n.gen.* — new genus; *n.sp.* — new species; *n.nom.* — new name, used once to introduce a name replacing a junior homonym; *n.comb.* — new combination of names; *n.syn.* — denotes synonymy established for the first time, *n.stat.* — will be used to indicate a new change in rank of a name; *nomen nudum*, *nomen dubium* are not abbreviated.
4. In treating the taxonomy of a described taxon, the following form is essential for the beginning of a chapter.

Filippia olea (Costa, 1832) (Fig. 1)

Coccus oleae Costa, 1832:21; Green, 1868:42 (biology)

Lecanium oleae. Smith, 1892:15 (list); Brown, 1899:20 (description)

Filippia oleae. Fernald, 1903:13 (Catalog); Hall, 1943:50 (hosts list)

The full references to the above citations should be given in the REFERENCES section at the end of the article.

5. New taxa must be distinguished from related taxa.
6. In describing new species, the complete data of the type-series, together with the collection(s) in which it is deposited will be recorded in the original description as follows:

MATERIAL EXAMINED. Holotype ♀, Israel, Jerusalem, 14.V.1956, on *Ficus carica*, G. Levi (BMNH). Paratypes, 2♀♀, same data as holotype, (USNM); 8♀♀, Tel Aviv, 3.V.1962, *Acacia* sp., G. Brown (ZTV).

7. Records of described species will be listed at the end of each relevant chapter in the following form:

MATERIAL EXAMINED: Sinai, Dahab, 13.V.1958, ex. *Phoenix* sp., D. Cohen (1♂, 1♀; BMNH); Israel, Haifa, 20.II.1967, *Pistacia vera*, M. Levi (1♀; ZTV).

REPRINTS

Senior authors are entitled to 30 copies of their paper free of charge. Additional reprints may be ordered at the time the proof is returned.

CORRESPONDENCE

Manuscripts submitted for publication should be addressed to the Editor in Chief.

SUBSCRIPTIONS

Correspondence for subscription address to: Secretary, Entomological Society of Israel, P.O.Box 6, Bet Dagan 50200, Israel.